


Knurled torque knobs external thread

Item description/product images



Description

Material:

Thermoplastic, black grey. Pin steel 5.8.

Version:

Pin blue passivated


Note:

The set screw sets the required torque. The knob de-clutches and turns freely when the desired torque is reached.

Drawing reference:

1) adjusting screw for setting the torque

Drawings



Knurled torque knobs external thread

Overview of items

| Order No. | Thread type | Component material | Colour Cap | Size | D | D1 | D2 | D3 | D4 | H | H1 | L | Torque Nm |
|---------------|-----------------|--------------------|-----------------------|------|----|----|----|----|----|------|------|----|-----------|
| B0278.205X30 | external thread | steel | black grey RAL 7021 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2051X30 | external thread | steel | orange RAL 2004 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2052X30 | external thread | steel | signal green RAL6032 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2053X30 | external thread | steel | blue RAL5017 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2055X30 | external thread | steel | light grey RAL 7035 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2056X30 | external thread | steel | traffic red RAL 3020 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2057X30 | external thread | steel | colza yellow RAL 1021 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.205X50 | external thread | steel | black grey RAL 7021 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2051X50 | external thread | steel | orange RAL 2004 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2052X50 | external thread | steel | signal green RAL6032 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2053X50 | external thread | steel | blue RAL5017 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2055X50 | external thread | steel | light grey RAL 7035 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2056X50 | external thread | steel | traffic red RAL 3020 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2057X50 | external thread | steel | colza yellow RAL 1021 | 2 | M5 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.206X30 | external thread | steel | black grey RAL 7021 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2061X30 | external thread | steel | orange RAL 2004 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2062X30 | external thread | steel | signal green RAL6032 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2063X30 | external thread | steel | blue RAL5017 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2065X30 | external thread | steel | light grey RAL 7035 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2066X30 | external thread | steel | traffic red RAL 3020 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.2067X30 | external thread | steel | colza yellow RAL 1021 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 30 | 0,1 - 0,3 |
| B0278.206X50 | external thread | steel | black grey RAL 7021 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2061X50 | external thread | steel | orange RAL 2004 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2062X50 | external thread | steel | signal green RAL6032 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2063X50 | external thread | steel | blue RAL5017 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2065X50 | external thread | steel | light grey RAL 7035 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2066X50 | external thread | steel | traffic red RAL 3020 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.2067X50 | external thread | steel | colza yellow RAL 1021 | 2 | M6 | 26 | 18 | 23 | 16 | 27 | 10,5 | 50 | 0,1 - 0,3 |
| B0278.306X40 | external thread | steel | black grey RAL 7021 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3061X40 | external thread | steel | orange RAL 2004 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3062X40 | external thread | steel | signal green RAL6032 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3063X40 | external thread | steel | blue RAL5017 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3065X40 | external thread | steel | light grey RAL 7035 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3066X40 | external thread | steel | traffic red RAL 3020 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3067X40 | external thread | steel | colza yellow RAL 1021 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.306X60 | external thread | steel | black grey RAL 7021 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3061X60 | external thread | steel | orange RAL 2004 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3062X60 | external thread | steel | signal green RAL6032 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3063X60 | external thread | steel | blue RAL5017 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3065X60 | external thread | steel | light grey RAL 7035 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3066X60 | external thread | steel | traffic red RAL 3020 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3067X60 | external thread | steel | colza yellow RAL 1021 | 3 | M6 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.308X40 | external thread | steel | black grey RAL 7021 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3081X40 | external thread | steel | orange RAL 2004 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3082X40 | external thread | steel | signal green RAL6032 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3083X40 | external thread | steel | blue RAL5017 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3085X40 | external thread | steel | light grey RAL 7035 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3086X40 | external thread | steel | traffic red RAL 3020 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.3087X40 | external thread | steel | colza yellow RAL 1021 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 40 | 0,1 - 0,3 |
| B0278.308X60 | external thread | steel | black grey RAL 7021 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3081X60 | external thread | steel | orange RAL 2004 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3082X60 | external thread | steel | signal green RAL6032 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3083X60 | external thread | steel | blue RAL5017 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3085X60 | external thread | steel | light grey RAL 7035 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3086X60 | external thread | steel | traffic red RAL 3020 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |
| B0278.3087X60 | external thread | steel | colza yellow RAL 1021 | 3 | M8 | 34 | 22 | 31 | 20 | 37,5 | 14,5 | 60 | 0,1 - 0,3 |

Knurled torque knobs external thread

Overview of items
